

•••your power point !





www.kondator.se

Access point Powerdot Satellite PD10




Dimensions









Can be supplemented with decor frame.

Simple and functional

A convenient satellite fitted with an electrical outlet and four cable ports. Its detachable top allow for an easy insertion of additional cables. Quick and simple installation flush with the desk surface.








SPECIFIKATIONS

- 1 x Power, 4 x Cable feedthrough
- Electrical Connection: Schuko / grounded 1.5m
- Drilling diameter 79 mm
- Total height 51 mm
- Easy mounting in fixed level.
- Patent-pending PCT, China.
- Part no. 935-PD10 Powerdot Satellite Accessories: Decor frame, 115x115 mm; Silver / White / Black (Feb 2015)

Access point Powerdot Satellite PD11



Delivered complete with cover lid and decor frame in silver.


Ingenious design!

A unique satellite outlet, with a pending patent, that offers three alternative height configurations. When installed at its 3rd and lowest level, cables and ports are elegantly hidden within the satellite well. The product is delivered complete with cover lid and decor frame.



















SPECIFIKATIONS


- 1 x El, 4 x cable feedthrough
- Electrical Connection: Schuko / grounded 1.5m
- Drilling diameter 79 mm
- Height 89-140 mm
- Patent-pending PCT, China.
- Incl. Cover lid and Decor frame 115x115 mm, silver
- Part No. Powerdot Satellite 935-PD11 Adjustable in 3 levels


Accessories: Decor frame, 115x115 mm; Silver / White / Black (Feb 2015)

Access point Powerdot Satellite PD12 / PD13









LEVEL 3

0




935-PD12 Power, data and USB-charger.



935-PD13 Power, HDMI and USB port

Unique patent pending technology

These complementary satellite outlets are well suited for both individual desks and conference tables. Their combined use offer a complete technical solution, when a wide range of options is required. The satellite is easily mounted in table tops and can after that be adjusted in three levels depending on desired feature or needs.



Can also be supplemented with decor frame for installation of 1, 2 or 4 satellites in groups. (Feb 2015)



140 mm

SPECIFIKATIONS

- Adjustable in 3 levels
- Electrical Connection: Schuko / grounded 1.5m Data CAT6 HDMI USB Charger 5V, 2100 mA
- Drilling diameter 79 mm
- Patent-pending PCT, China.
- Incl. Cover lid and Decor frame 115x115 mm, silver
- Part no Powerdot Satellite 935-PD12 Power, data, USB charger 935-PD13 Power, HDMI, USB port



Kondator AB

P.O. Box 121 S-135 23 Tyresö SWEDEN

Visiting address Energivägen 8 S-135 49 Tyresö SWEDEN

Telephone +46-8-556 595 00

web www.kondator.se *e-mail* info@kondator.se

Org no 556500-1947





Kondator values our environment and our Management System is Certified by Intertek according to ISO14001, Certificate 1417792





Kondator is associated to FTI - the Packaging and Newspaper Collection Service and El-Kretsen for active recycling of packaging material and electronic devices.