

DCS-2800LH-EU Wire-Free Camera



Requires
Wire-Free
Camera Kit
(Sold Separately)



Product Highlights



100% Wire-Free
Battery-operated with onboard Wi-Fi



Advanced Motion Detection
Receive notifications and record video clips when motion is detected



IP65 Indoor/Outdoor
Weatherproof housing allows placement anywhere

Your Home, Only Smarter.

The Wire-Free Camera is an add-on camera that works with the Wire-Free Camera Kit (DCS-2802KT-EU). The mydlink™ Pro Wire-Free Camera System is ideal for Small Office/Home Office (SOHO) surveillance applications. The compact Wire-Free Camera is suitable for day-time and night-time for both indoor and outdoor environments. It features built-in night vision, motion detection, and a free mobile app — so you can feel at ease when you're away from home.

Compact Design, Simple Setup

The DCS-2800LH-EU is designed to be compact and unobtrusive, so it can fit in with any decor, no matter where you put it. You can stick it anywhere, indoors or out. It's water resistant so it can withstand outdoor weather. Adding the camera to your existing Wire-Free Camera Kit is also a breeze with the free mydlink™ app. To get started, simply install the app on your mobile device, and with a few taps, the app will guide you through the entire setup process.

Versatile Feature Set

Despite its small size, the DCS-2800LH-EU has all the features you need for monitoring your home. Onboard Wi-Fi provides extended range and higher bandwidth for smooth 1080p Full HD video streams on any device. The DCS-2800LH-EU supports two-way audio, simultaneous live viewing, recording, and playback¹ for up to four channels with the addition of optional DCS-2800LH-EU cameras.

Built-in motion detection will automatically send alert notifications to your mobile device as well as automatically record snapshots and video clips to a microSD card², external HDD², or cloud storage⁵. Night-time monitoring is possible with the built-in infrared LED which allows for night-time viewing of up to 7.5 metres (25 feet), so you can relax knowing you have 24/7 monitoring of your home or small office. The camera is powered by two powerful lithium batteries allowing its use for a long period of time without the need charge it.

Access Anywhere Using the Mobile App

With the mydlink™ app, you have an easy and convenient way for you to look after your family or to monitor your home or office. Stay up-to-date with notifications and check in on those you love at any time. Access your camera using the mydlink™ mobile app and you can view and manage your camera using your mobile device. You can interact with what you're watching with two-way audio. Enjoy instant control over your home surveillance with the ability to manually trigger video recording, no matter where you are.


Features

- ◆ High-quality 1080p Full HD resolution provides detailed snapshots and crisp video
- ◆ 140-degree viewing angle
- ◆ Stick it anywhere (indoor/outdoor)
- ◆ Weatherproof
- ◆ Long-lasting lithium batteries
- ◆ Built-in IR LEDs to capture video up to 7.5 metres (25 feet) away in complete darkness
- ◆ Advanced motion detection with PIR
- ◆ H.264 support for the best video streaming performance
- ◆ Receive notifications, and save snapshots and video clips to your mobile device
- ◆ View and manage your camera remotely through the mydlink™ app³
- ◆ Save video clips to a microSD card², external HDD², or cloud storage⁵
- ◆ Two-way audio
- ◆ AES128-encrypted video and audio streaming

Automatic Video Recording Through mydlink™ Cloud

With a mydlink™ cloud recording subscription, you can have peace of mind with automated storage of your video recordings to a cloud server. Play back recordings in the cloud or download video clips to your mobile device from anywhere, anytime through the Internet. Access real-time live views of your cameras using the mydlink™ mobile app and set automated schedules via your tablet or mobile phone, no matter where you are.

Product Images



Technical Specifications

| Camera | | |
|--------------------|--|--|
| Hardware Profile | <ul style="list-style-type: none"> • 1/4" 2 megapixel progressive CMOS sensor • Minimum illumination: <ul style="list-style-type: none"> • B/W (Night Mode), IR LEDs on: 0 lux • Lens focal length: 1.9 mm • Aperture: F2.2 • Digital zoom (4x) • 7.5 m (25 ft) IR illumination distance | <ul style="list-style-type: none"> • Angle of view (16:9): <ul style="list-style-type: none"> • Horizontal: 115° • Vertical: 64° • Diagonal: 140° • Built-in light sensor • Built-in microphone |
| Video Compression | <ul style="list-style-type: none"> • H.264 format compression | <ul style="list-style-type: none"> • JPEG for still images |
| Video Resolution | <ul style="list-style-type: none"> • 1080p (1920 x 1080) | <ul style="list-style-type: none"> • Up to 24 fps |
| Audio Support | <ul style="list-style-type: none"> • MPEG-2 AAC LC | <ul style="list-style-type: none"> • Two-way audio |
| Network | | |
| Connectivity | <ul style="list-style-type: none"> • 2.4 GHz: 802.11 n/g/b wireless with WPA2 encryption | <ul style="list-style-type: none"> • 922 MHz or 866 MHz for signalling |
| General | | |
| Buttons | <ul style="list-style-type: none"> • Sync Button | |
| LED | <ul style="list-style-type: none"> • Status LED | |
| System Integration | | |
| Event Management | <ul style="list-style-type: none"> • PIR motion detection • Cloud recording • Push notifications | <ul style="list-style-type: none"> • Manually taken snapshots & video clips are saved to mobile device |
| Mobile Support | <ul style="list-style-type: none"> • mydlink™ apps for iPhone, iPad, iPod touch, and Android devices⁴ | |

| Physical | | |
|-------------------------|--|---|
| Environment | • For Indoor/Outdoor Use | |
| IP Rating | • IP65 | |
| Weight | • 240 grams (8.47 ounces) ± 5% | |
| Battery | • 23.5 W, 3.6 V total power | • Two 3350 mAh Lithium-ion 18650 batteries |
| Power Adapter | • Input: 100 to 240 V AC, 50/60 Hz | • Output: 5 V DC 2 A (Micro-USB) |
| Power Consumption | • Standby state: • < 0.22 mW | • Active state: • < 1,100 mW (Day mode) • < 2,500 mW (Night mode) |
| Temperature | • Operating: -20 to 50 °C (-4 to 122 °F) | • Storage: -20 to 70 °C (-4 to 158 °F) |
| Humidity | • Operating: 20% to 80% non-condensing | • Storage: 5% to 95% non-condensing |
| Certifications | • CE • CE LVD • RCM | • cUL • FCC Class B • ICES |
| Dimensions (H x W x D) | • 85 x 66 x 85 mm (3.37 x 2.6 x 3.37 in) | |
| Diagram | | |

¹ Use of audio or video equipment for recording the image or audio of a person without their knowledge and consent is prohibited in certain states or jurisdictions. The end-user assumes all liability for compliance with applicable state, local and federal laws.

² The DCS-H100 Wi-Fi Hub (included with DCS-2802KT-EU) is required for SD card and HDD video recording. It's compatible with microSD/SDHC/SDXC cards up to v3.01 and is not compatible with v4.x cards.

³ The DCS-2800LH-EU is not supported by the mylink Home app and is not compatible with D-Link's Connected Home Series.

⁴ Check device app store for OS requirements

⁵ Subscription required. 1 day of recordings for up to three cameras is free.



For more information: www.dlink.com



Updated July 2018